

# CAUTION

KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

# Triumph<sup>®</sup> 240

## Fungicide

ACTIVE CONSTITUENT: **240 g/L METALAXYL-M**

**GROUP 4 FUNGICIDE**

For the control of Pythium in turf as specified  
in the Directions for Use



Formulation type  
**Micro Emulsion** **ME**

 **CENTAUR**  
ASIA PACIFIC  
www.centaur-asiapacific.com  
info@centaur-asiapacific.com

adama.com

CONTENTS: 1 L

### DIRECTIONS FOR USE

**RESTRAINTS:** DO NOT apply more than 4 sprays per season.

DO NOT apply this product as a post-infection curative spray on crops as this will favour the development of resistant disease strains.

SITUATION	DISEASES CONTROLLED	RATE	CRITICAL COMMENTS
Turf	Pythium Leaf Blight, Pythium Root Rot, Seedling Damping off ( <i>Pythium</i> spp.)	1.7 - 3.5 L/ha or 17 - 35 mL/100 m <sup>2</sup>	Apply TRIUMPH <sup>®</sup> 240 in a preventative fungicide program containing fungicides from different chemical groups. Begin applications before symptoms occur when conditions first favour disease and continue applications while conditions remain favourable for disease development using registered Pythium fungicides. Apply no more than 2 consecutive TRIUMPH <sup>®</sup> 240 applications at 14 - 21 day intervals for Pythium. Refer to APPLICATION section for detailed information.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION**

## GENERAL INSTRUCTIONS

### MIXING

Add the required amount of product directly to the spray tank and mix well. TRIUMPH® 240 Fungicide is a micro emulsion (ME) with minimal odour because the product does not contain petroleum solvents. TRIUMPH® 240 mixes completely with water and may be tank mixed with many commonly used fungicides and liquid fertilisers.

### COMPATIBILITY

TRIUMPH® 240 is compatible with propiconazole, azoxystrobin/propiconazole, azoxystrobin and trinexapac-ethyl.

### APPLICATION

Ensure even application in order to achieve even disease control. Avoid overlapping sprays.

**Leaf and Crown Diseases:** Application volume for leaf and crown infecting diseases (Pythium Leaf Blight) should be adequate to ensure thorough and even coverage of the turf leaves and penetration to the crowns. Ideal application volume should be 350 - 500 L/ha. Example: For best results use medium [e.g. XR Teejet\* (11004 or 10005)] to coarse [e.g. Turbo Teejet\* or AIXR Teejet\* (11004 or 11005)] nozzles, at 5 km/h and 3 bar pressure. In higher cut turf (≥15 mm) a significant spray shielding effect can occur, impacting negatively on spray penetration and even coverage at low application volumes.

**Root Diseases:** Application volumes for root infecting diseases (Pythium Root Rot and Seedling Damping Off) should be as high as possible (approximately 1000 L/ha) to ensure placement close to the soil surface. When lower application volumes are used, washing in should commence as soon as possible after application.

Example: For best results use extremely coarse droplets [e.g. Turbo Floodjet (TFS) or TurfJet (TTJ10)] and total application volume of approximately 1000 L/ha. Preferably spray onto wet or dewy grass. Irrigate with 6 - 10 mm of water commencing within 1 hour of application.

### RESISTANCE WARNING

TRIUMPH® 240 Fungicide is a member of the phenylamide group of fungicides.

GROUP 4 FUNGICIDE

For fungicide resistance management the product is a Group 4 fungicide. Some naturally occurring individual fungi resistant to the product and other Group 4 fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungi population if these fungicides are used repeatedly. These resistant fungi will not be controlled by this product and other Group 4 fungicides, thus resulting in a reduction in efficacy and possible yield loss. Since the occurrence of resistant fungi is difficult to detect prior to use, Adama Australia accepts no liability for any losses that may result from the failure of this product to control resistant fungi.

### RE-ENTRY PERIOD

DO NOT allow entry into treated areas until the spray has dried.

### PROTECTION OF LIVESTOCK

DO NOT graze treated turf/lawn or feed turf/lawn clippings from any treated area to poultry or livestock.

### PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

## STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. DO NOT burn empty containers or product.

### SAFETY DIRECTIONS

Will irritate the eyes. Avoid contact with the eyes. When opening the container and preparing the spray wear cotton overalls buttoned to the neck and wrist, a washable hat, elbow-length PVC gloves and face shield or goggles. When using the prepared spray wear cotton overalls buttoned to the neck and wrist and a washable hat. If product in eyes, wash it out immediately with water. Wash hands after use. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

### FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

**CONDITIONS OF SALE:** The use of TRIUMPH® 240 Fungicide being beyond the control of the manufacturer, no warranty expressed or implied is given by Adama Australia regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and Adama Australia accepts no responsibility for any consequence whatsoever resulting from the use of this product.

®Registered trademark of an Adama Group Company

\* Other trademarks

06/2017 9035