

Main panel

---

**CAUTION**  
**KEEP OUT OF REACH OF CHILDREN**  
**READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

 **Interface**<sup>®</sup>

**TURF FUNGICIDE**

**ACTIVE CONSTITUENTS: 256.4 g/L IPRADIONE**  
**16 g/L TRIFLOXYSTROBIN**

**GROUP 2 11 FUNGICIDE**

**5 L**

For control of certain fungal diseases in turf.

**IMPORTANT:** Read the attached booklet before use.

Distributed by

 **CENTAUR**  
ASIA PACIFIC

[www.centaur-asiapacific.com](http://www.centaur-asiapacific.com)  
[info@centaur-asiapacific.com](mailto:info@centaur-asiapacific.com)

Booklet front page

---

## CAUTION

KEEP OUT REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

## INTERFACE® TURF FUNGICIDE

ACTIVE CONSTITUENTS: 256.4 g/L IPRADIONE  
16 g/L TRIFLOXYSTROBIN

For control of certain fungal diseases in turf.

### STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight.

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. DO NOT burn empty containers or product. DO NOT re-use empty containers for any other purpose.

### SAFETY DIRECTIONS

May irritate the eyes. When opening the container, mixing and loading and preparing spray and using prepared spray, wear cotton overalls buttoned to the neck and wrist and elbow-length chemical resistant gloves. When using prepared spray by low pressure hand wand, wear cotton overalls, over normal clothing, buttoned to the neck and wrist and a washable hat and elbow-length chemical resistant gloves. If product in eyes, wash it out immediately with water. Wash hands after use. After each day's use wash gloves and contaminated clothing.

### FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26; New Zealand 0800 764 766.

### SAFETY DATA SHEET

Additional Information is listed in the Safety Data Sheet which is available at [www.bayeres.com.au](http://www.bayeres.com.au).

### Exclusion of Liability

This product must be used strictly as directed, and in accordance with all instructions appearing on the label and in other reference material. So far as it is lawfully able to do so, Bayer CropScience Pty. Ltd. accepts no liability or responsibility for loss or damage arising from failure to follow such directions and instructions.

### IMPORTANT: READ THIS BOOKLET BEFORE USE.

APVMA Approval No.: 68019/57315

Interface® is a Registered Trademark of the Bayer Group.

Bayer CropScience Pty. Ltd.  
A.B.N. 87 000 226 022  
391-393 Tooronga Rd  
East Hawthorn, Vic. 3123  
Phone: (03) 9248 6888  
Fax: (03) 9248 6803  
Technical enquiries: 1800 804 479  
Website: [www.bayeres.com.au](http://www.bayeres.com.au)



For 24 hour specialist advice in an emergency only phone 1800 033 111

Batch Number:

DOM:

Barcode

Booklet inside

## DIRECTIONS FOR USE

### SPRAY DRIFT RESTRAINTS

**DO NOT** apply with spray droplets smaller than a **MEDIUM** spray droplet size category according to nozzle manufacturer specifications that refer to ASAE S572 Standard to the BCPC Guideline.

**DO NOT** apply when wind speed is less than 3 or more than 18 kilometres per hour as measured at the application site.

**DO NOT** apply during surface temperature inversion conditions at the application site.

Users of this product **MUST make an accurate written record** of the details of each spray application within 24 hours following application and **KEEP** this record for a minimum of 2 years. The spray application details that must be recorded are:

1. date and start and finish times of application;
2. location address and areas sprayed;
3. full name of this product;
4. amount used per hectare and number of hectares applied to;
5. situation and disease;
6. wind speed and direction during application;
7. air temperature;
8. nozzle brand, model and type and spray system pressure measured during application;
9. name and address of person applying this product.

(Additional record details may be required by the State or Territory where this product is used).

### MANDATORY NO-SPRAY ZONES

**DO NOT** apply if there are aquatic and wetland areas, including aquacultural ponds or surface streams and rivers, within **20 metres** downwind from the application area.

Situation	Disease	Rate	Critical Comments
Turf	Brown patch ( <i>Rhizoctonia solani</i> ), Dollar spot ( <i>Sclerotinia homoeocarpa</i> ), Fusarium ( <i>Microdochium nivale</i> ), Gray leaf spot ( <i>Pyricularia grisea</i> ), Helminthosporium disease ( <i>Bipolaris</i> spp., <i>Drechslera</i> spp., <i>Exserohilum</i> spp.), Rust ( <i>Puccinia</i> spp.)	12.5 L/ha  Water volume: 800-1600 L/ha	Apply when conditions are favourable for disease development. For preventative control, apply on a 21-28 day interval when conditions are favourable for disease development. For curative control, apply on a 14-21-day interval. For Brown Patch control, apply sufficient irrigation to wash the product into the crown and upper root zone. <b>DO NOT</b> apply using equipment carried on the back of the user. <b>DO NOT</b> apply more than two consecutive sprays of fungicides from the same activity group (other than Group 14, 28, M2, M3, M4 or M5) unless mixed with a protectant fungicide from group 14, 28, M2, M3, M4 or M5.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

### GENERAL INSTRUCTIONS

**Application:** Good control requires good coverage. Application should be made using sufficient water to ensure thorough coverage.

**Note:** This product may be very unstable in conditions where the pH is 7 or higher. It is therefore essential to check the pH of the spray solution before adding this product. A suitable registered buffering agent may have to be added to bring pH down below 7.

**Turf nutrition:** This product acts very rapidly and where the turf is of a low nutritional status, a slight yellowing may be seen. This effect will be corrected by nitrogenous fertiliser application. Where possible, it is recommended that the fertiliser program should precede the fungicide application.

**Compatibility:** As formulations of other manufacturers' products are beyond the control of Bayer, all mixtures should be tested prior to mixing commercial quantities.

**RISK TO NON-TARGET INSECTS**

**Interface® Turf Fungicide** may have adverse effects on some non-target beneficial insects, in particular predatory bugs. This risk should be taken into account where Integrated Pest Management utilising these organisms is practiced.

**FUNGICIDE RESISTANCE WARNING**

<b>GROUP</b>	<b>2</b>	<b>11</b>	<b>FUNGICIDE</b>
--------------	----------	-----------	------------------

For fungicide resistance management, **Interface** is a Group 2 & 11 fungicide. Some naturally occurring individual fungi resistant to **Interface** and other Group 2 & 11 fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungal population if these fungicides are used repeatedly. These resistant fungi will not be controlled by **Interface** and other Group 2 & 11 fungicides, thus resulting in a reduction in efficacy. Since the occurrence of resistant fungi is difficult to detect prior to use, Bayer accepts no liability for any losses that may result from the failure of **Interface** to control resistant fungi.

**PRECAUTIONS**

DO NOT apply in areas accessible to children.  
DO NOT apply using equipment carried on the back of the user.

**RE-ENTRY PERIOD**

DO NOT enter treated areas to perform low exposure activities such as irrigation until the spray has dried, unless wearing cotton overalls buttoned to the neck and wrist (or equivalent clothing) and chemical resistant gloves. Clothing must be laundered after each day's use.

DO NOT enter treated areas to perform high exposure activities such as transplanting and hand weeding for 20 days unless wearing cotton overalls buttoned to the neck and wrist (or equivalent clothing) and chemical resistant gloves. Clothing must be laundered after each day's use.

**PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET PLANTS**

DO NOT apply under weather conditions, or from spraying equipment, that may cause spray to drift onto nearby susceptible plants/crops, cropping lands or pastures.

**PROTECTION OF LIVESTOCK**

DO NOT graze treated areas or feed turf clippings from treated areas to animals including poultry.

**PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT**

Very toxic to aquatic life. DO NOT contaminate wetlands or water courses with this product or used containers.

**STORAGE AND DISPOSAL**

Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight.

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. DO NOT burn empty containers or product. DO NOT re-use empty containers for any other purpose.

**SAFETY DIRECTIONS**

May irritate the eyes. When opening the container, mixing and loading and preparing spray and using prepared spray, wear cotton overalls buttoned to the neck and wrist and elbow-length chemical resistant gloves. When using prepared spray by low pressure hand wand, wear cotton overalls, over normal clothing, buttoned to the neck and wrist and a washable hat and elbow-length chemical resistant gloves. If product in eyes, wash it out immediately with water. Wash hands after use. After each day's use wash gloves and contaminated clothing.

**FIRST AID**

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26; New Zealand 0800 764 766.

**SAFETY DATA SHEET**

Additional Information is listed in the Safety Data Sheet which is available at [www.bayeres.com.au](http://www.bayeres.com.au).

**Exclusion of Liability**

This product must be used strictly as directed, and in accordance with all instructions appearing on the label and in other reference material. So far as it is lawfully able to do so, Bayer CropScience Pty. Ltd. accepts no liability or responsibility for loss or damage arising from failure to follow such directions and instructions.

APVMA Approval No.: 68019/57315

Interface<sup>®</sup> is a Registered Trademark of the Bayer Group.

Bayer CropScience Pty. Ltd.  
A.B.N. 87 000 226 022  
391-393 Tooronga Rd  
East Hawthorn, Vic. 3123  
Phone: (03) 9248 6888  
Fax: (03) 9248 6803  
Technical enquiries: 1800 804 479  
Website: [www.bayeres.com.au](http://www.bayeres.com.au)

For 24 hour specialist advice in an emergency only phone 1800 033 111
---