Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	substance/mixture and of the com	ipany/undertakir	lg
1.1. Product identifier Product form	: Mixture		
Product name	: Six Iron 12-0-0		
Product code	: M77816		
	substance or mixture and uses advised ag	iningt	
		anst	
1.3. Details of the supplier of the sa	fety data sheet		
JR Simplot Company 3oise, ID 83707 Γ 1-208-336-2110			
I.4. Emergency telephone number			
Emergency number	: CHEMTREC 1-800-424-9300		
SECTION 2: Hazards identification	on la constante de la constante		
2.1. Classification of the substance			
Classification (GHS-US)			
Not classified			
2.2. Label elements			
GHS-US labeling			
lo labeling applicable			
2.3. Other hazards			
No additional information available			
.4. Unknown acute toxicity (GHS-U	S)		
lo data available			
SECTION 3: Composition/inform	ation on ingredients		
.1. Substance			
lot applicable			
3.2. Mixture			
Name	Product identifier	%	Classification (GHS-US)
Proprietary		50 - 90	Not classified
iron(II) sulfate, heptahydrate	(CAS No) 7782-63-0	15 - 50	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315
citric acid	(CAS No) 77-92-9	0.1 - 5	Skin Irrit. 2, H315
			Eye Irrit. 2A, H319
SECTION 4: First aid measures			
.1. Description of first aid measures			
First-aid measures general	 Never give anything by mouth to an (show the label where possible). 	unconscious person. I	f you feel unwell, seek medical
First-aid measures after inhalation	: Assure fresh air breathing. Allow the	victim to rest.	
First-aid measures after skin contact	 Remove affected clothing and wash warm water rinse. 		with mild soap and water, follow
First-aid measures after eye contact	: Rinse immediately with plenty of wat	er. Obtain medical att	ention if pain, blinking or rednes

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Not expected to present a significant hazard under anticipated conditions of normal use.

ccording to Federal Register /	/ol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
	y immediate medical attention and special treatment needed
No additional information	
SECTION 5: Firefig	
5.1. Extinguishing	
Suitable extinguishing me	
Unsuitable extinguishing r	nedia : Do not use a heavy water stream.
5.2. Special hazard	s arising from the substance or mixture
No additional information	vailable
5.3. Advice for firef	ghters
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any
	chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	g : Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accide	ntal release measures
6.1. Personal preca	utions, protective equipment and emergency procedures
6.1.1. For non-emerg	ancy personnel
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency	responders
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
0,11	
6.2. Environmental Prevent entry to sewers a	precautions Ind public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.
-	
	aterial for containment and cleaning up
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4. Reference to o	her sections
See Heading 8. Exposure	controls and personal protection.
SECTION 7: Handli	g and storage
7.1. Precautions fo	
Precautions for safe hand	ing : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.
7.2. Conditions for	safe storage, including any incompatibilities
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
Storage temperature	: >= 25 (5 - 42) °C
7.3. Specific end us	e(s)
No additional information	ivailable
SECTION 8: Exposi	re controls/personal protection
8.1. Control parame	
iron(II) sulfate, heptahy	drate (7782-63-0)

8.2. Exposure controls Personal protective equipment : Avoid all unnecessary exposure. Hand protection : Wear protective gloves. Eye protection : Chemical goggles or safety glasses. Respiratory protection : Wear appropriate mask. Other information : Do not eat, drink or smoke during use. 03/09/2015 EN (English US) 2/6			
Hand protection: Wear protective gloves.Eye protection: Chemical goggles or safety glasses.Respiratory protection: Wear appropriate mask.Other information: Do not eat, drink or smoke during use.	8.2. Exposure controls		
Eye protection: Chemical goggles or safety glasses.Respiratory protection: Wear appropriate mask.Other information: Do not eat, drink or smoke during use.	Personal protective equipment	: Avoid all unnecessary exposure.	
Respiratory protection: Wear appropriate mask.Other information: Do not eat, drink or smoke during use.	Hand protection	: Wear protective gloves.	
Other information : Do not eat, drink or smoke during use.	Eye protection	: Chemical goggles or safety glasses.	
	Respiratory protection	: Wear appropriate mask.	
03/09/2015 EN (English US) 2/6	Other information	: Do not eat, drink or smoke during use.	
	03/09/2015	EN (English US)	2/6

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and c	hemical properties	
Physical state	: Liquid	
Color	: Green	
Odor	: Characteristic odour	
Odor threshold	: No data available	
рН	: <= 3	
Relative evaporation rate (butyl acetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: <= 0 °C	
Boiling point	: >= 100 °C	
Flash point	: None	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: No data available	
Vapor pressure	: No data available	
Relative vapor density at 20 °C	: No data available	
Relative density	: No data available	
Density	: >= 1.42 g/ml	
Solubility	 Soluble in water. Water: Solubility in water of component(s) of the mixture : • : 42 g/100ml • : 59 g/100ml 	
Log Pow	: No data available	
Log Kow	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
Explosive limits	: No data available	
9.2. Other information		
VOC content	: <= 10 g/l	
SECTION 10: Stability and reactivity		
10.1. Reactivity		
No additional information available		
10.2. Chemical stability		
Not established.		
10.3. Possibility of hazardous reactions		
Not established.		
10.4. Conditions to avoid		
Direct sunlight. Extremely high or low temperatures.		
10.5. Incompatible materials Strong acids. Strong bases. Strong bases.		
10.6. Hazardous decomposition products		
fume. Carbon monoxide. Carbon dioxide.		
SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity	: Not classified	
citric acid (77-92-9)		
LD50 oral rat	3000 mg/kg (Rat; Literature study)	
03/09/2015	EN (English US) 3/6	
00,00/2010		

citric acid (77-92-9)	
ATE US (oral)	3000.0000000 mg/kg body weight
iron(II) sulfate, heptahydrate (7782-63-0)	
LD50 oral rat	1480 mg/kg (Rat)
ATE US (oral)	1480.0000000 mg/kg body weight
Skin corrosion/irritation	: Not classified.
Skir conosion/initiation	pH: <= 3
Serious eye damage/irritation	: Not classified
Schous eye damage/imation	pH: <= 3
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
	Based on available data, the classification criteria are not met
Carcinogonicity	: Not classified
Carcinogenicity	
Reproductive toxicity	: Not classified
	Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated	: Not classified
exposure)	Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
	Based on available data, the classification criteria are not met
Potential Adverse human health effects and	: Based on available data, the classification criteria are not met.
symptoms	
SECTION 12: Ecological information	
12.1. Toxicity	
12.1. Toxicity	: Toxic to aquatic life.
12.1. Toxicity Ecology - water	
12.1. Toxicity	: Toxic to aquatic life.
Toxicity Ecology - water citric acid (77-92-9)	
Toxicity Ecology - water citric acid (77-92-9) LC50 fish 1	: Toxic to aquatic life. 2600 mg/l (48 h; Leuciscus idus; pH = 7)
Toxicity Ecology - water citric acid (77-92-9) LC50 fish 1 EC50 Daphnia 1	 : Toxic to aquatic life. 2600 mg/l (48 h; Leuciscus idus; pH = 7) 120 mg/l (72 h; Daphnia magna; pH < 7)
I2.1. Toxicity Ecology - water Image: Colored c	 : Toxic to aquatic life. 2600 mg/l (48 h; Leuciscus idus; pH = 7) 120 mg/l (72 h; Daphnia magna; pH < 7) 1516 mg/l (96 h; Lepomis macrochirus)
Toxicity Ecology - water citric acid (77-92-9) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 2	 : Toxic to aquatic life. 2600 mg/l (48 h; Leuciscus idus; pH = 7) 120 mg/l (72 h; Daphnia magna; pH < 7) 1516 mg/l (96 h; Lepomis macrochirus) 85 mg/l (Daphnia magna)
I2.1. Toxicity Ecology - water Image: Colored state sta	 : Toxic to aquatic life. 2600 mg/l (48 h; Leuciscus idus; pH = 7) 120 mg/l (72 h; Daphnia magna; pH < 7) 1516 mg/l (96 h; Lepomis macrochirus) 85 mg/l (Daphnia magna) 80 mg/l (192 h; Microcystis aeruginosa; Reproduction)
Toxicity Ecology - water citric acid (77-92-9) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 2 Threshold limit algae 1 Threshold limit algae 2 iron(II) sulfate, heptahydrate (7782-63-0)	 : Toxic to aquatic life. 2600 mg/l (48 h; Leuciscus idus; pH = 7) 120 mg/l (72 h; Daphnia magna; pH < 7) 1516 mg/l (96 h; Lepomis macrochirus) 85 mg/l (Daphnia magna) 80 mg/l (192 h; Microcystis aeruginosa; Reproduction) 640 mg/l (168 h; Scenedesmus quadricauda)
I2.1. Toxicity Ecology - water citric acid (77-92-9) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 2 Threshold limit algae 1 Threshold limit algae 2 iron(II) sulfate, heptahydrate (7782-63-0) LC50 fish 1	 : Toxic to aquatic life. 2600 mg/l (48 h; Leuciscus idus; pH = 7) 120 mg/l (72 h; Daphnia magna; pH < 7) 1516 mg/l (96 h; Lepomis macrochirus) 85 mg/l (Daphnia magna) 80 mg/l (192 h; Microcystis aeruginosa; Reproduction) 640 mg/l (168 h; Scenedesmus quadricauda) 925 mg/l (96 h; Poecilia reticulata)
Image: Second system 2.1. Toxicity Ecology - water citric acid (77-92-9) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 2 Threshold limit algae 1 Threshold limit algae 2 iron(II) sulfate, heptahydrate (7782-63-0) LC50 fish 1 EC50 Daphnia 1	 : Toxic to aquatic life. 2600 mg/l (48 h; Leuciscus idus; pH = 7) 120 mg/l (72 h; Daphnia magna; pH < 7) 1516 mg/l (96 h; Lepomis macrochirus) 85 mg/l (Daphnia magna) 80 mg/l (192 h; Microcystis aeruginosa; Reproduction) 640 mg/l (168 h; Scenedesmus quadricauda) 925 mg/l (96 h; Poecilia reticulata) 7.2 mg/l (48 h; Daphnia magna; Metal ion)
I2.1. Toxicity Ecology - water citric acid (77-92-9) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 2 Threshold limit algae 1 Threshold limit algae 2 iron(II) sulfate, heptahydrate (7782-63-0) LC50 fish 1	 : Toxic to aquatic life. 2600 mg/l (48 h; Leuciscus idus; pH = 7) 120 mg/l (72 h; Daphnia magna; pH < 7) 1516 mg/l (96 h; Lepomis macrochirus) 85 mg/l (Daphnia magna) 80 mg/l (192 h; Microcystis aeruginosa; Reproduction) 640 mg/l (168 h; Scenedesmus quadricauda) 925 mg/l (96 h; Poecilia reticulata)
12.1. ToxicityEcology - watercitric acid (77-92-9)LC50 fish 1EC50 Daphnia 1LC50 fish 2EC50 Daphnia 2Threshold limit algae 1Threshold limit algae 2iron(II) sulfate, heptahydrate (7782-63-0)LC50 fish 1EC50 Daphnia 1LC50 fish 2EC50 Daphnia 2	 : Toxic to aquatic life. 2600 mg/l (48 h; Leuciscus idus; pH = 7) 120 mg/l (72 h; Daphnia magna; pH < 7) 1516 mg/l (96 h; Lepomis macrochirus) 85 mg/l (Daphnia magna) 80 mg/l (192 h; Microcystis aeruginosa; Reproduction) 640 mg/l (168 h; Scenedesmus quadricauda) 925 mg/l (96 h; Poecilia reticulata) 7.2 mg/l (48 h; Daphnia magna; Metal ion) > 200 mg/l (48 h; Leuciscus idus)
I2.1. ToxicityEcology - watercitric acid (77-92-9)LC50 fish 1EC50 Daphnia 1LC50 fish 2EC50 Daphnia 2Threshold limit algae 1Threshold limit algae 2iron(II) sulfate, heptahydrate (7782-63-0)LC50 fish 1EC50 Daphnia 1LC50 fish 2EC50 Daphnia 2	 : Toxic to aquatic life. 2600 mg/l (48 h; Leuciscus idus; pH = 7) 120 mg/l (72 h; Daphnia magna; pH < 7) 1516 mg/l (96 h; Lepomis macrochirus) 85 mg/l (Daphnia magna) 80 mg/l (192 h; Microcystis aeruginosa; Reproduction) 640 mg/l (168 h; Scenedesmus quadricauda) 925 mg/l (96 h; Poecilia reticulata) 7.2 mg/l (48 h; Daphnia magna; Metal ion) > 200 mg/l (48 h; Leuciscus idus)
I2.1. ToxicityEcology - watercitric acid (77-92-9)LC50 fish 1EC50 Daphnia 1LC50 fish 2EC50 Daphnia 2Threshold limit algae 1Threshold limit algae 2iron(II) sulfate, heptahydrate (7782-63-0)LC50 fish 1EC50 Daphnia 1LC50 fish 2EC50 Daphnia 2iron(II) sulfate, neptahydrate (7782-63-0)LC50 fish 1EC50 Daphnia 1LC50 fish 2EC50 Daphnia 2I2.2. Persistence and degradabilitySix Iron 12-0-0	 Toxic to aquatic life. 2600 mg/l (48 h; Leuciscus idus; pH = 7) 120 mg/l (72 h; Daphnia magna; pH < 7) 1516 mg/l (96 h; Lepomis macrochirus) 85 mg/l (Daphnia magna) 80 mg/l (192 h; Microcystis aeruginosa; Reproduction) 640 mg/l (168 h; Scenedesmus quadricauda) 925 mg/l (96 h; Poecilia reticulata) 7.2 mg/l (48 h; Daphnia magna; Metal ion) > 200 mg/l (48 h; Leuciscus idus) 152 mg/l (48 h; Daphnia magna; Anhydrous form)
12.1. Toxicity Ecology - water citric acid (77-92-9) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 1 LC50 fish 2 Threshold limit algae 1 Threshold limit algae 2 iron(II) sulfate, heptahydrate (7782-63-0) LC50 fish 1 EC50 Daphnia 2 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 2 I2.2. Persistence and degradability Six Iron 12-0-0 Persistence and degradability	 : Toxic to aquatic life. 2600 mg/l (48 h; Leuciscus idus; pH = 7) 120 mg/l (72 h; Daphnia magna; pH < 7) 1516 mg/l (96 h; Lepomis macrochirus) 85 mg/l (Daphnia magna) 80 mg/l (192 h; Microcystis aeruginosa; Reproduction) 640 mg/l (168 h; Scenedesmus quadricauda) 925 mg/l (96 h; Poecilia reticulata) 7.2 mg/l (48 h; Daphnia magna; Metal ion) > 200 mg/l (48 h; Leuciscus idus)
12.1. Toxicity Ecology - water citric acid (77-92-9) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 1 LC50 fish 2 Threshold limit algae 1 Threshold limit algae 2 iron(II) sulfate, heptahydrate (7782-63-0) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 2 I2.2. Persistence and degradability Six Iron 12-0-0 Persistence and degradability	 : Toxic to aquatic life. 2600 mg/l (48 h; Leuciscus idus; pH = 7) 120 mg/l (72 h; Daphnia magna; pH < 7) 1516 mg/l (96 h; Lepomis macrochirus) 85 mg/l (Daphnia magna) 80 mg/l (192 h; Microcystis aeruginosa; Reproduction) 640 mg/l (168 h; Scenedesmus quadricauda) 925 mg/l (96 h; Poecilia reticulata) 7.2 mg/l (48 h; Daphnia magna; Metal ion) > 200 mg/l (48 h; Leuciscus idus) 152 mg/l (48 h; Daphnia magna; Anhydrous form)
12.1. Toxicity Ecology - water citric acid (77-92-9) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 1 LC50 fish 2 Threshold limit algae 1 Threshold limit algae 2 iron(II) sulfate, heptahydrate (7782-63-0) LC50 fish 1 EC50 Daphnia 2 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 2 I2.2. Persistence and degradability Six Iron 12-0-0 Persistence and degradability	 Toxic to aquatic life. 2600 mg/l (48 h; Leuciscus idus; pH = 7) 120 mg/l (72 h; Daphnia magna; pH < 7) 1516 mg/l (96 h; Lepomis macrochirus) 85 mg/l (Daphnia magna) 80 mg/l (192 h; Microcystis aeruginosa; Reproduction) 640 mg/l (168 h; Scenedesmus quadricauda) 925 mg/l (96 h; Poecilia reticulata) 7.2 mg/l (48 h; Daphnia magna; Metal ion) > 200 mg/l (48 h; Leuciscus idus) 152 mg/l (48 h; Daphnia magna; Anhydrous form)
12.1. Toxicity Ecology - water citric acid (77-92-9) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 1 LC50 fish 2 Threshold limit algae 1 Threshold limit algae 2 iron(II) sulfate, heptahydrate (7782-63-0) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 2 I2.2. Persistence and degradability Six Iron 12-0-0 Persistence and degradability	 : Toxic to aquatic life. 2600 mg/l (48 h; Leuciscus idus; pH = 7) 120 mg/l (72 h; Daphnia magna; pH < 7) 1516 mg/l (96 h; Lepomis macrochirus) 85 mg/l (Daphnia magna) 80 mg/l (192 h; Microcystis aeruginosa; Reproduction) 640 mg/l (168 h; Scenedesmus quadricauda) 925 mg/l (96 h; Poecilia reticulata) 7.2 mg/l (48 h; Daphnia magna; Metal ion) > 200 mg/l (48 h; Leuciscus idus) 152 mg/l (48 h; Daphnia magna; Anhydrous form)
2.1. Toxicity Ecology - water citric acid (77-92-9) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 1 LC50 fish 2 Threshold limit algae 1 Threshold limit algae 2 iron(II) sulfate, heptahydrate (7782-63-0) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 2 2.2. Persistence and degradability Six Iron 12-0-0 Persistence and degradability Proprietary Persistence and degradability	 : Toxic to aquatic life. 2600 mg/l (48 h; Leuciscus idus; pH = 7) 120 mg/l (72 h; Daphnia magna; pH < 7) 1516 mg/l (96 h; Lepomis macrochirus) 85 mg/l (Daphnia magna) 80 mg/l (192 h; Microcystis aeruginosa; Reproduction) 640 mg/l (168 h; Scenedesmus quadricauda) 925 mg/l (96 h; Poecilia reticulata) 7.2 mg/l (48 h; Daphnia magna; Metal ion) > 200 mg/l (48 h; Leuciscus idus) 152 mg/l (48 h; Daphnia magna; Anhydrous form)
12.1. ToxicityEcology - watercitric acid (77-92-9)LC50 fish 1EC50 Daphnia 1LC50 fish 2EC50 Daphnia 2Threshold limit algae 1Threshold limit algae 2iron(II) sulfate, heptahydrate (7782-63-0)LC50 fish 1EC50 Daphnia 1LC50 fish 2EC50 Daphnia 212.2. Persistence and degradabilitySix Iron 12-0-0Persistence and degradabilityPersistence and degradabilitycitric acid (77-92-9)	 Toxic to aquatic life. 2600 mg/l (48 h; Leuciscus idus; pH = 7) 120 mg/l (72 h; Daphnia magna; pH < 7) 1516 mg/l (96 h; Lepomis macrochirus) 85 mg/l (Daphnia magna) 80 mg/l (192 h; Microcystis aeruginosa; Reproduction) 640 mg/l (168 h; Scenedesmus quadricauda) 925 mg/l (96 h; Poecilia reticulata) 7.2 mg/l (48 h; Daphnia magna; Metal ion) > 200 mg/l (48 h; Leuciscus idus) 152 mg/l (48 h; Daphnia magna; Anhydrous form) Not established.
2.1. Toxicity Ecology - water citric acid (77-92-9) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 1 LC50 fish 2 Threshold limit algae 1 Threshold limit algae 2 iron(II) sulfate, heptahydrate (7782-63-0) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 2 izer, Persistence and degradability Six Iron 12-0-0 Persistence and degradability Proprietary Persistence and degradability Citric acid (77-92-9) Persistence and degradability	 : Toxic to aquatic life. 2600 mg/l (48 h; Leuciscus idus; pH = 7) 120 mg/l (72 h; Daphnia magna; pH < 7) 1516 mg/l (96 h; Lepomis macrochirus) 85 mg/l (Daphnia magna) 80 mg/l (192 h; Microcystis aeruginosa; Reproduction) 640 mg/l (168 h; Scenedesmus quadricauda) 925 mg/l (96 h; Poecilia reticulata) 7.2 mg/l (48 h; Daphnia magna; Metal ion) > 200 mg/l (48 h; Leuciscus idus) 152 mg/l (48 h; Daphnia magna; Anhydrous form) Not established. Not established. Readily biodegradable in water. Biodegradable in the soil. Not established.
12.1. Toxicity Ecology - water citric acid (77-92-9) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 2 Threshold limit algae 1 Threshold limit algae 2 iron(II) sulfate, heptahydrate (7782-63-0) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 2 12.2. Persistence and degradability Six Iron 12-0-0 Persistence and degradability Citric acid (77-92-9) Persistence and degradability Biochemical oxygen demand (BOD)	 : Toxic to aquatic life. 2600 mg/l (48 h; Leuciscus idus; pH = 7) 120 mg/l (72 h; Daphnia magna; pH < 7) 1516 mg/l (96 h; Lepomis macrochirus) 85 mg/l (Daphnia magna) 80 mg/l (192 h; Microcystis aeruginosa; Reproduction) 640 mg/l (168 h; Scenedesmus quadricauda) 925 mg/l (96 h; Poecilia reticulata) 7.2 mg/l (48 h; Daphnia magna; Metal ion) > 200 mg/l (48 h; Leuciscus idus) 152 mg/l (48 h; Daphnia magna; Anhydrous form) Not established. Not established. Readily biodegradable in water. Biodegradable in the soil. Not established. 0.420 g O₂ /g substance

iron(II) sulfate, heptahydrate (7782-63-0)	
Persistence and degradability	Biodegradability in water: no data available. Biodegradability in soil: no data available. Adsorbs into the soil. Not established.
12.3. Bioaccumulative potential	
Six Iron 12-0-0	
Bioaccumulative potential	Not established.
Proprietary	
Bioaccumulative potential	Not established.
citric acid (77-92-9) Log Pow	-1.72 (Experimental value)
Bioaccumulative potential	Bioaccumulation: not applicable. Not established.
·	
iron(II) sulfate, heptahydrate (7782-63-0)	
Bioaccumulative potential	Not bioaccumulative. Not established.
2.4. Mobility in soil	
No additional information available	
2.5. Other adverse effects	
Effect on ozone layer	: No additional information available
ffect on the global warming	: No known ecological damage caused by this product.
Other information	: Avoid release to the environment.
SECTION 13: Disposal consideratio	ns
3.1. Waste treatment methods	
Vaste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of
	contents/container to
cology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	
n accordance with DOT	
Not regulated for transport	
Additional information	
Other information	: No supplementary information available.
ADR	
	:
ransport document description	:
ransport document description	:
ransport document description ransport by sea No additional information available	:
ransport document description Fransport by sea No additional information available Air transport	:
ransport document description ransport by sea lo additional information available tir transport lo additional information available	n
Transport document description Transport by sea No additional information available Nir transport No additional information available SECTION 15: Regulatory information	: n
Transport document description Transport by sea No additional information available Nir transport No additional information available SECTION 15: Regulatory information 5.1. US Federal regulations	
Transport document description Transport by sea No additional information available No additional information available SECTION 15: Regulatory information 5.1. US Federal regulations All components of this product are listed on th	e Toxic Substances Control Act (TSCA) inventory except for:
Transport document description Transport by sea Io additional information available stir transport Io additional information available SECTION 15: Regulatory information 5.1. US Federal regulations All components of this product are listed on th Proprietary	
Proprietary iron(II) sulfate, heptahydrate This product or mixture does not contain a tox specified in 40 CFR §372.38(a) subject to the	te Toxic Substances Control Act (TSCA) inventory except for: CAS No CAS No 7782-63-0 tic chemical or chemicals in excess of the applicable de minimis concentration as reporting requirements of section 313 of Title III of the Superfund Amendments and
Transport document description Transport by sea No additional information available Air transport No additional information available SECTION 15: Regulatory informatio 5.1. US Federal regulations All components of this product are listed on th Proprietary iron(II) sulfate, heptahydrate This product or mixture does not contain a tox	te Toxic Substances Control Act (TSCA) inventory except for: CAS No CAS No 7782-63-0 tic chemical or chemicals in excess of the applicable de minimis concentration as reporting requirements of section 313 of Title III of the Superfund Amendments and
Transport document description Transport by sea No additional information available Nir transport No additional information available SECTION 15: Regulatory information 5.1. US Federal regulations All components of this product are listed on th Proprietary iron(II) sulfate, heptahydrate This product or mixture does not contain a tox specified in 40 CFR §372.38(a) subject to the	te Toxic Substances Control Act (TSCA) inventory except for: CAS No CAS No 7782-63-0 tic chemical or chemicals in excess of the applicable de minimis concentration as reporting requirements of section 313 of Title III of the Superfund Amendments and

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

iron(II) sulfate, heptahydrate (7782-63-0)	
RQ (Reportable quantity, section 304 of EPA's List of Lists) :	1000 lb

15.2. International regulations

CANADA No additional information available

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC or 1999/45/EC

Not classified

15.2.2. National regulations No additional information available

15.3. US State regulations

iron(II) sulfate, heptahydrate (7782-63-0) U.S Pennsylvania - RTK (Right to Know) List		
SECTION 16: Other info	mation	
Data sources	 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. 	
Other information	: None.	

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Irrit. 2	Skin corrosion/irritation Category 2
H302	Harmful if swallowed
H315	Causes skin irritation
H319	Causes serious eve irritation

NFPA health hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
NFPA fire hazard	: 0 - Materials that will not burn.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
NFPA specific hazard	: None
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 0 Minimal Hazard
Physical	: 0 Minimal Hazard
Personal Protection	: C
SDS US (GHS HazCom 2012)	

Disclaimer: This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE CONCERNING THE INFORMATION HEREIN PROVIDED. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information nor do we offer warranty against patent infringement.