

EDACAR

Distributed by:



www.centaur-asiapacific.com
info@centaur-asiapacific.com

*Hong Kong, Macau & Vietnam.

EDACAR
www.edacarev.com



Fit For
Life

EDACAR - A Top-Notch & Reliable Cart !



**VISIONARY. INGENUOUS. REMARKABLE.
EVERY GOLF CART BEARS HIS SIGNATURE.**

CONTENTS

COMPANY PROFILE	1-2
MAIN COMPONENTS	4-6
MODELS	7-22
ACCESSORIES	23
FEATURES	24
SPECIFICATIONS	25-27
REFERENCE	28

EDACAR

EDACAR

EDACAR EV Co Ltd is a prominent frontrunner within the golf cart manufacturing sector.

Strategically situated in Dongguan city, in Guangdong Province, China, a globally acclaimed hub for manufacturing, the company's roots trace back to the inception of Dongguan EDA Electric Vehicle Technology Co., Ltd. in 2008. With an impressive 18-year legacy, marked by the production of top-tier golf cart components and accessories catering to esteemed brands such as CLUB CAR, E-Z-GO, and YAMAHA.

Drawing upon an extensive comprehension of prominent mainstream cart brands, EDACAR EV has effectively crafted a captivating range of golf carts and lightweight electric vehicles. These offerings showcase distinct proprietary designs, seamlessly integrating cutting-edge German technology and advanced processes.

At the core of our operations are state-of-the-art assembly lines, fortified with 11 robotic systems, underscoring our unwavering commitment to precision and operational efficiency. Our versatile product portfolio encompasses an array of vehicles, including golf carts, community carts, tourist vehicles, police patrol units, as well as specialized vehicles designed for airport and warehouse applications.

Recognized for their refined aesthetics, design excellence, precision engineering, ergonomic functionality, and unparalleled system stability, these models have garnered widespread acclaim from contented users spanning the globe. Our global footprint extends to Europe, America, and Australia, where we proudly export our vehicles.

Guided by a forward-looking perspective and unrelenting determination, EDACAR EV is poised to embrace emerging prospects and redefine industry boundaries. Our ceaseless pursuit of excellence and artisanship stands as the cornerstone of our endeavors, enabling us to consistently deliver superlative products and an unmatched driving experience to our esteemed clientele.



Testing



Assembling Lines



Parts Workshops



CERTIFICATE



COMPANY HISTORY

2008

EDA company established

2016

Top 1 parts supplier in China

2020

EDACAR setup

2021

The first generation cart come out
Global exporting

2024

USA partner distribution
BREEZY brand

2026


The second generation cart come out

ALUMINIUM OPTIONS



I-beam shape aluminum. Super strong compared with tube shape. Most of the frame are aluminum material. No rust

E-COATING CARBON STEEL CHASSIS



High End Finishing Carbon steel Chassis
Electrophoresis+Powder coating, Super strong, No Rust!


Powered by
NAVITAS



INTELLIGENT ELECTRIC VEHICLE SYSTEMS




LIFEPO4 LITHIUM BATTERY



LiFePo4 lithium-ion battery packs are intricately designed to function seamlessly as a direct replacement for lead-acid batteries. Experience the benefits of lithium-ion technology, including lighter weight, quicker charging, longer lifespan, no maintenance required and decreased electricity costs.



STANDARD BRAKE SYSTEM



4-wheel Hydraulic Disc brakes + Auto Parking System (EM Brake) with Mechanical Emergency, More Safety and Easy Release!

SUSPENSION AND STEERING SYSTEM



Four-arm independent suspension, Automobile processing level, Providing you unparalleled driving experience

PRECISION, POISED, POWERFUL



GOLF TIME

Excellent driving performance smart control system and safety using model for golf course



F2A

GOLF MODELS



Wireless Charging



Luxury Integrated Molded Cushion



Soft Grip Steering Wheel with Clip



Ball Washer



Sand Bottle



Caddy Stand With Safety Handles

GOLF MODELS



▼ F4A

GOOLF MODELS



SIERA2 provides safety, comfort and stability on the course and around the neighborhood

 **SIERA2**



▼ **Beverage Cart**



▼ **Ball - picker - upper cart**

PEOPLE CARRIER HAULER VEHICLES



E6+2





PERSONAL MODELS

CLASSIC MODELS



E2+2



E4+2



Lifted L2+2



Lifted L4+2



STANDARD FEATURES



Mirror with turning lights



Multi-functional display



10 inch alloy wheel rim



Monotone luxury seats



3-in-one flip flop rear seat

PREMIUM MODELS



SIERA 4



SIERA 6



TERRAIN 4



TERRAIN 6



BREEZE 4



BREEZE 4 W



BREEZE 4 L



BREEZE 6



BREEZE 6 W




BREEZE 6 L

PREMIUM MODELS

PREMIUM MODELS



HAVING A BLAST . ELEGANT . MAINTAIN THE MOMENTUM OF YOUR CELEBRATION.



Phone Links Bluetooth Phone Calls Music Speedometer Battery SOC



9" MULTI-FUNCTIONAL TOUCHSCREEN



Connect The Way You Want

Mobile network connectivity enables individuals to use various internet-based applications and is nowadays an integral part of the physical environment. More specifically, this connectivity shapes individuals' modes of gathering information and their communication capabilities. Any plans to meet with others? Where are you looking to go? Simply use your phone with voice control, standard phone link integration allows you to bring your contacts, favorite messaging apps, music playlists, maps, and other features to your golf cart. Just link your phones that are compatible to the screen.

There's nothing like seeing it.

on the big screen

People to see? Places to be? just your phone with voice control, standard phone link integration brings on board to your golf cart your contacts, favorite messaging apps, Music playlists, Maps, and more. Simply connect your compatible phones to the screen.



The compact size along with its contents is the key benefit. Sounds can be heard. There are additional speakers in bars which can be wirelessly connected to your phones. Light modes that can be adjusted with a speaker, lights pulsating in sync with the rhythm of the music



FEATURES



UTILITY VEHICLES FOR WORK

UTILITY
MODELS



UTILITY VEHICLES
FOR WORKS



SC2



LC2



SC2L



LC2L



UTILITY
MODELS

Flexible modification



Dinning car



SV2



V2



Baggage carrier



Security Cart



Security Cart



▼ Ambulance Cart

*Please note that, due to variations amongst printings, actual colors may vary slightly from what appears on this page. Check with dealer for actual brightness/saturation of a color (check the physical color templates possessed by dealerships before you place orders). We reserve the rights to make corrections as well as product alterations and improvements at any time without notice.

WHEEL RIMS



10" Alloy rim
with Turf tire



14" Alloy rim
with Radial tire



14" Alloy rim
with Off-Road tire

PPG PAINTS



Candy Apple
Red



Vibrant
Orange



Ocean Blue



Electric Blue



Apple Green




Pearl White



Matte Black



Gun Metal
Grey



Glossy Black

Golf cart configuration refers to the specific combination of options, features, and specifications that make up a particular vehicle. These configurations can include various aspects such as motor size, controller type, drivetrain, suspension, and other optional extras. offers different configuration options to cater to the diverse needs and preferences of car buyers. Consult your dealer for official offers.

SEAT OPTIONS



OPTIONS

ACCESSORIES



GOLF COURSE FLEET MANAGEMENT SYSTEM (GPS)



MINI FAN



GLASS WINDSHIELD WITH WIPER



BASKET



TURNING SIGNAL LIGHT



SEAT AMBIENT LIGHTING



GOLF CLUB HOLDER



GOLF BAG PROTECTOR



GOLF BAG ATTACHMENT



TOW HOOK



AMBIENT LIGHTING




STEREO SPEAKER




RAIN COVER



SEAT COVER



INNER FRONT BASKET



SPACER KITS



UPGRADE FLOOR MAT



TILTING STEERING



Model#	F2	F2A	F4A	SC2	SC2L	LC2	LC2L	V2	PC2	A2	BC2	LG2	
Passenger	2	2	4	2	2	2	2	2	2	2	2	2	
System Data	Motor	AC 5KW with EM brake					AC 5KW with EM brake						
	Controller	NAVITAS® controller 600A, reconfigurability and diagnosis via mobile apps					NAVITAS® controller 600A, reconfigurability and diagnosis via mobile apps						
	Charger	Smart on-board charger					Smart on-board charger						
	Suspension	4 - arm independent suspension					4 - arm independent suspension						
	Brake System	4 wheel discs brake + Electronic parking					4 wheel discs brake + Electronic parking						
	Battery	Lithium 105ah	Lithium 105ah	Lithium 125ah	Lithium 105ah	Lithium 105ah	Lithium 150ah	Lithium 150ah	Lithium 150ah	Lithium 125ah	Lithium 150ah	Lithium 150ah	Lithium 150ah
	Rim	10inch alloy rim	10inch alloy rim	10inch alloy rim	10inch alloy rim	14inch alloy rim	10inch alloy rim	14inch alloy rim	10inch alloy rim	14inch alloy rim	10inch alloy rim	10inch alloy rim	10inch alloy rim
	Tire	205/50-10" DOT road tire	205/50-10" DOT road tire	205/50-10" DOT road tire	205/50-10" DOT road tire	23x10-14 DOT off road tire	205/50-10" DOT road tire	23x10-14 DOT off road tire	205/50-10" DOT road tire	23x10-14 DOT off road tire	205/50-10" DOT road tire	205/50-10" DOT road tire	205/50-10" DOT road tire
Rear Axle	Integrated,Gear ratio16.2:1	Integrated,Gear ratio16.2:1	Integrated,Gear ratio16.2:1	Integrated,Gear ratio12.3:1	Integrated,Gear ratio14:1	Integrated,Gear ratio16.2:1	Integrated,Gear ratio14:1	Integrated,Gear ratio16.2:1	Integrated,Gear ratio14:1	Integrated,Gear ratio16.2:1	Integrated,Gear ratio16.2:1	Integrated,Gear ratio16.2:1	
Main Performance Data	Overall Dimention(mm)	2400x1210x1820	2670x1210x1820	3985x1210x1980	2580x1210x1820 Plastic Cargo 1100x1160x300	2680x1315x1985 Plastic Cargo 1100x1160x300	3400x1210x1820mm Aluminum Cargo1500x1160x300	3500x1315x1975 Aluminum Cargo1500x1160x300	3700x1310x2010 VAN size: 1890x1270x1215	3665x1210x1960	3490x1830x1230 Stretcher size: 2030x630 Aluminum Medical Box: 550x550x600	3240x1250mmx1975 Van Box: 2300x1250x146	4170x1170x1950 Ball bag frame:2076x1105x820
	Wheel Tread(mm)	Front 900/Rear1005	Front 900/Rear1005	Front 900/Rear1005	Front 900/Rear1010	Front 980/Rear1085	Front 900/Rear1010	Front 980/Rear1075	Front 900/Rear1010	Front 980/Rear1085	Front 910/Rear1020	Front 910/Rear1020	Front 910/Rear1020
	Wheel Base (mm)	1660	1660	2485	1690	1690	2485	2515	3305	1690	2515	2515	3305
	Max Speed (Km/h)	20Km/h, adjustable	20Km/h, adjustable	20Km/h, adjustable	20-30Km/h, adjustable	20-30Km/h, adjustable	20-30Km/h, adjustable						
	Brake Distance(m)	≅ 2m	≅ 2m	≅ 3m	≅ 2m	≅ 2m	≅ 3m	≅ 3m	≅ 3m	≅ 2m	≅ 3m	≅ 3m	≅ 3m
	Grade Ability	≅ 30%	≅ 30%	≅ 30%	≅ 25%	≅ 30%	≅ 25%	≅ 30%	≅ 25%	≅ 30%	≅ 25%	≅ 25%	≅ 25%
	Max Loading (Kgs)	300Kg	300Kg	600Kg	200Kg	200Kg	500Kg	500Kg	400Kg	400Kg	300Kg	400kg	400 kg
	Range(Km)	Lithium 105ah -70Km Depends on road condition	Lithium 105ah -70Km Depends on road condition	Lithium 125ah - 80Km Depends on road condition	Lithium 105ah - 70Km Depends on road condition	Lithium 105ah - 70Km Depends on road condition	Lithium 150ah - 80Km Depends on road condition	Lithium 150ah - 80Km Depends on road condition	Lithium 150ah - 80Km Depends on road condition	Lithium 125ah - 100Km Depends on road condition	Lithium 150ah - 80Km Depends on road condition	Lithium 150ah - 80Km Depends on road condition	Lithium 150ah - 80Km Depends on road condition
Interior Configurations	Windshield	Foldable windshield					Foldable windshield						
	Seat type	Standard Seat , Beige/black					Standard Seat , Beige/black						
	Instrument	/	/	/	/	/	/	/	/	/	/	/	
	Soundbar	/	/	/	/	/	/	/	/	/	/	/	
	Steering Wheel	Normal Steering Wheel With Score Clip	Normal Steering Wheel With Score Clip	Normal Steering Wheel With Score Clip	Normal Steering Wheel	Normal Steering Wheel	Normal Steering Wheel						
	Rear Mirror	Indicator Rear Mirror					Indicator Rear Mirror						
	Seat Belt	/	/	/	/	/	/	/	/	/	/	/	/
	Accessory	Cooler,Ball Washer,Sand Bottle	Cooler,Ball Washer,Sand Bottle, Caddie Stand		Plastic Cargo	Plastic Cargo	/	/	Plastic Cargo kits	Alarm light	Stretcher fixing plate: Alumiium Medical Box Alarm light		StainlessSteel Cargo kits
Color Options													



Model#	E2+2 PLUS	E4+2 PLUS	L2+2 PLUS	L4+2 PLUS	F4	F4W	F4L	F6	F6W	F6L	
Passenger	4	6	4	6	4	4	4	6	6	6	
System Data	Motor	AC 5KW with EM brake				AC 5KW with EM brake					
	Controller	NAVITAS® controller 600A, reconfigurability and diagnosis via mobile apps				NAVITAS® controller 600A, reconfigurability and diagnosis via mobile apps					
	Charger	Smart on-board charger				Smart on-board charger					
	Suspension	4 - arm independent suspension				4 - arm independent suspension					
	Brake System	4 wheel discs brake + Electronic parking				4 wheel discs brake + Electronic parking					
	Battery	Lithium 125ah				Lithium 125ah					
	Rim	14inch Alloy rim				14inch Alloy rim	12inch Alloy rim	14inch Alloy rim	14inch Alloy rim	12inch Alloy rim	14inch Alloy rim
	Tire	215/35R14 DOT Radial tire		23x10-14 DOT off road tire		215/35R14 DOT Radial tire	20x10-12 DOT off road tire	23x10-14 DOT off road tire	215/35R14 DOT Radial tire	20x10-12 DOT off road tire	23x10-14 DOT off road tire
	Rear Axle	Integrated,Gear ratio12.3:1	Integrated,Gear ratio16.2:1	Integrated,Gear ratio14: 1	Integrated,Gear ratio14: 1	Integrated,Gear ratio12.3:1	Integrated,Gear ratio12.3:1	Integrated,Gear ratio14: 1	Integrated,Gear ratio16.2:1	Integrated,Gear ratio16.2:1	Integrated,Gear ratio14: 1
Main Performance Data	Overall Dimention(mm)	2840x1210x1960	3665x1210x1960	2920x1315x2140	3745x1315x2120	2965x 1225x 1915	3065 x 1315x 1910	3065 x 1315x 2015	3790x 1225x 1915	3890x 1315x 1910	3890x 1315x 2015
	Wheel Tread(mm)	Front 900/Rear1005	Front 900/Rear1005	Front 980/Rear1085	Front 980/Rear1085	Front 900/Rear1005	Front 980/Rear1075	Front 980/Rear1075	Front 900/Rear1005	Front 980/Rear1075	Front 980/Rear1075
	Wheel Base (mm)	1660	2485	1690	2515	2070	2070	2070	2895	2895	2895
	Max Speed (Km/h)	20-30Km/h, adjustable				20-30Km/h, adjustable					
	Brake Distance(m)	≅2m				≅2m					
	Grade Ability	≅30%				≅30%					
	Max Loading (Kgs)	400Kg	600Kg	500Kg	650Kg	500Kg	550Kg	550Kg	600Kg	650Kg	650Kg
Range(Km)	Lithium 125ah - 100Km Depends on road condition	Lithium 125ah - 100Km Depends on road condition	Lithium 125ah - 90Km Depends on road condition	Lithium 125ah - 90Km Depends on road condition	Lithium 125ah - 100Km Depends on road condition	Lithium 125ah - 90Km Depends on road condition	Lithium 125ah - 90Km Depends on road condition	Lithium 125ah - 70Km Depends on road condition	Lithium 125ah - 60Km Depends on road condition	Lithium 125ah - 60Km Depends on road condition	
Interior Configurations	Windshield	AS4 approval,DOT Foldable windshield				AS4 approval,DOT Foldable windshield					
	Seat type	High Back seat with folding armrest				High Back seat with folding armrest					
	Instrument	9 inch LCD touchscreen with iPhone/Android Mirror Function				9 inch LCD touchscreen with iPhone/Android Mirror Function					
	Soundbar	RGB Variable lighting soundbar				RGB Variable lighting soundbar					
	Steering Wheel	Luxury Steering Wheel				Luxury Steering Wheel					
	Rear Mirror	With Turning Signal Indicator Rear Mirror				With Turning Signal Indicator Rear Mirror					
	Seat Belt	3-Point DOT Seat Belt, 3.2m Length				3-Point DOT Seat Belt, 3.2m Length					
	Accessory	Super Strong Plastic 3-in-1 Flip Flop rear seat kit with storage bin,Reflectors				Storage Box, Reflectors	Brush Guard, side steps, Fender, big rear storage box		Storage Box, Reflectors	Brush Guard, side steps, Fender, big rear storage box	
Color Options											



Model#	L2+2	L4+2	E2+2	E4	E4+2	E6	E6+2	
Passenger	4	6	4	4	6	6	8	
System Data	Motor	AC 5KW with EM brake			AC 5KW with EM brake			
	Controller	NAVITAS® controller 600A, reconfigurability and diagnosis via mobile apps			NAVITAS® controller 600A, reconfigurability and diagnosis via mobile apps			
	Charger	Smart on-board charger			Smart on-board charger			
	Suspension	4 - arm independent suspension			4 - arm independent suspension			
	Brake System	4 wheel discs brake + Electronic parking			4 wheel discs brake + Electronic parking			
	Battery	Lithium 125ah	Lithium 125ah	Lithium 105ah	Lithium 125ah	Lithium 125ah	Lithium 150ah	Lithium 150ah
	Rim	14inch Alloy rim	14inch Alloy rim	10inch alloy rim	10inch alloy rim			
	Tire	23x10-14 DOT tire	23x10-14 DOT tire	205/50-10" DOT road tire	205/50-10" DOT road tire			
	Rear Axle	Integrated,Gear ratio14: 1	Integrated,Gear ratio14: 1	Integrated,Gear ratio12.3:1	Integrated,Gear ratio12.3:1	Integrated,Gear ratio16.2:1	Integrated,Gear ratio16.2:1	Integrated,Gear ratio16.2:1
Main Perform ance Data	Overall Dimention(mm)	2920x1315x2140	3745x1315x2120	2840x1210x1960	3225*1210*1960	3665x1210x1960	4045x1210x1960	4485x1210x1960
	Wheel Tread(mm)	Front 980/Rear1085	Front 980/Rear1085	Front 900/Rear1005	Front 900/Rear1005			
	Wheel Base (mm)	1690	2515	1660	2485	2485	3305	3305
	Max Speed (Km/h)	20-30Km/h, adjustable			20-30Km/h, adjustable			
	Brake Distance(m)	≅2m	≅3m	≅2m	≅3m	≅3m	≅4m	≅4m
	Grade Ability	≅30%	≅30%	≅30%	≅30%	≅30%	≅30%	≅25%
	Max Loading (Kgs)	500Kg	650Kg	400Kg	600Kg	600Kg	650Kg	650Kg
	Range(Km)	Lithium 125ah -90Km Depends on road condition	Lithium 125ah - 70Km Depends on road condition	Lithium 105ah - 70Km Depends on road condition	Lithium 125ah - 80Km Depends on road condition	Lithium 125ah - 80Km Depends on road condition	Lithium 150ah - 80Km Depends on road condition	Lithium 150ah - 80Km Depends on road condition
Interior Configur ations	Windshield	Foldable windshield			Foldable windshield			
	Seat type	Standard Seat , Beige/black			Standard Seat , Beige/black			
	Instrument	/	/	/	/	/	/	/
	Soundbar	/	/	/	/	/	/	/
	Steering Wheel	Normal Steering Wheel			Normal Steering Wheel			
	Rear Mirror	Indicator Rear Mirror			Indicator Rear Mirror			
	Seat Belt	/	/	/	/	/	/	/
	Accessory	/	/	/	/	/	/	/
Color Options	        			        				

REFERENCE

