

# GSV Series Valves

## Designed for the Harshest Conditions

Rain Bird® GSV Series Valves deliver reliable performance you can trust year after year in a full line of plastic and brass options. With precision pressure regulation pre-installed, the GSV Series provides an innovative solution that's strong enough to weather any storm.



### Powerful Surge Resistance

Withstand surge events up to 25kV with the GBS25 Solenoid, or up to 20kV with ICM.

### Adjustable Pressure Regulation

Maintain the constant pressure you need between 15 and 100 psi (1.04 to 6.90 bar), regardless of incoming pressure fluctuations.

### Designed to Resist Chemicals and Reclaimed Water

A chlorine-resistant diaphragm delivers increased protection against harsh chemicals.



# GSV Series Valves



## Stand Up to the Storm

- 25kV surge protection with the GBS25 Solenoid and 20kV surge protection with ICM.
- Built-in filtration with the GBS25 Solenoid for a second level of protection from debris.



## Overcome Pressure Fluctuations

- A pre-installed PRS-DIAL regulates outlet pressure in the field for better distribution uniformity.
- Improved pressure spike reduction capabilities reduce water hammer.
- Adjustment knob with an indicator allows fine-tuning in 1/3 psi (0.02 bar) increments.



## Install Extreme Durability

- All models feature a chlorine-resistant diaphragm for applications using reclaimed water and include an optional purple flow control handle and cover to designate non-potable water.
- Ergonomic design with snap-tight cover on waterproof dial cartridge prevents vandalism.
- Scrubber mechanism encapsulates stainless steel screen to dislodge grit and plant material.

## A Model for Every Application

Each model in the GSV Series is designed for long-lasting performance, easy maintenance and is available with NPT or BSP threads.



Distributed by:



[www.centaur-asiapacific.com](http://www.centaur-asiapacific.com)  
[info@centaur-asiapacific.com](mailto:info@centaur-asiapacific.com)



\*Singapore for Golf courses only.